SAFETY DATA SHEET

MATRIX DEGREASER



Rev.01/21

1. Identification of the substance/preparation and of the company/undertaking

Product name	: MATRIX DEGREASER
Product type	: Paint
Product use	: Auto Refinish
Supplier/Manufacturer	: TOA Performance Coating Corporation Co., Ltd.
Address	: 31/1 Moo 3, Debaratana Rd., KM.23, Bangsaothong,
	: Amphur Bangsaothong, Samuthprakarn, 10540 Thailand.
Tel.	: +66(0)2335-5555
Fax.	: +66(0)2312-8928
Emergenycy telephone number	: +66(0)235-5555 #1999
Product use Supplier/Manufacturer Address Tel. Fax.	 Auto Refinish TOA Performance Coating Corporation Co., Ltd. 31/1 Moo 3, Debaratana Rd., KM.23, Bangsaothong, Amphur Bangsaothong, Samuthprakarn, 10540 Thailand. +66(0)2335-5555 +66(0)2312-8928

2. Hazards identification

Classification of the substance or mixture

Flammable liquid and vapour	Category 2
Acute oral toxicity	Category 5
Acute dermal toxicity	Category 5
Skin corrosion / Irritation	Category 2
Serious eyes damage / Eyes irritation	Category 2
Respiratory sensitation	Category 1
Carcinogenicity	Category 2
Reproductive toxicity	Category 2
Specific target organ systemic toxicity-Single exposure	Category 1
Specific target organ systemic toxicity-Repeated exposure	Category 1
Aspiration Hazard	Category 1

GHS -Labelling

Pictogram symbols



Signal word	:	Danger
Hazard statement	:	H225 - Highly flammable liquid and vapour
		H303 - อาจเป็นอันตรายเมื่อกลืนกิน
		H304 - May be fatal if swallowed and enters airways
		H313 - May be harmful in contact with skin
		H315 - Causes skin irritation
		H320 - Causes eye irritation
		H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
		H351 - Suspected of causing cancer
		H361 - มีข้อสงสัยว่าอาจเกิดอันตรายต่อการเจริญพันธุ์หรือทารกในครรภ์
		H370 - Causes damage to organs
		H372 - Causes damage to organs through prolonged or repeated exposure
Precautionary statement	:	Prevention
		P201 - Obtain special instructions before use.
		P202 - Do not handle until all safety precautions havebeen read and understood.
		P210 - Keep away from heat/sparks/open flames/hot surfaces No smoking.
		P233 - Keep container tightly closed.
		P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/lighting
P242 - Use only non-sparking tools.
P243 - Take precautionary measures against static discharge.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P261 - Avoid breathing dust/fume/gas/mist/ vapours/spray.
P264 – Wash hand, mouth, etc. thoroughly after handling.
P270 - Do not eat, drink or smoke when using thisproduct.
P280 - Wear protective gloves/eye protection/face protection
P281 - Use personal protective equipment as required.
P285 - In case of inadequate ventilation wear respiratory protection.
Response
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302 + P352 F ON SKIN: Wash with plenty of soap and water
P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off
P304 + P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at
rest in a position comfortable for breathing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P307 + P311IF exposed: Call a POISON CENTER ordoctor/physician.
P308 + P313 IF exposed or concerned: Get medical advice/attention.
P312 - Call a POISON CENTER or doctor/physician ifyou feel unwell.
P314 - Get medical advice/attention if you feel
P321 - Specific treatment
P331 - Do NOT induce vomiting.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
P362 - Take off contaminated clothing and wash before reuse.
P370 + P378 In case of fire: Use appropriate media for extinction.
Storage
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 - Store locked up.
Disposal
P501 - Dispose of contents/container to appropriate waste site or reclaimer in accordance with

local/ regional / nation or national regulations.

3. Composition/information on ingredients

Chemical name	CAS No.	Concentration(%)
Shell 60/145	64742-89-8	75 - 85
White spirit	64742-82-1	10 - 20
Isopropyl alcohol	67-63-0	1 - 5

4. First aid measures.

General Advice Eye Contact	If symptoms persist, call a physician Rinse immediately with plenty of wa Get medical advice / attention.	n. ter, also under the eyelids, for at least 15 minute.
Skin Contact	Do NOT use solvents or thinner .Re	move contaminated clothing immediately and
	Wash off with plenty of water .If ski	n irritation persists, get medical advice / attention.
Inhalation	Move to fresh air. Get medical atten	tion if symptoms occur. Risk of serious damage
	to the lungs.	
Ingestion	Rinse mouth with fresh water . Do r	not induce vomiting. Call a physician immediately.
	If vomiting occurs naturally, have vio	ctim lean forward.

5. Fire-fighting measures

Extinguishing Media					
Suitable extinguishing media	:	Use water spray, dry chemical powder, Carbon dioxides, foam			
Unsuitable extinguishing media	:	Do not use water jet			
Special hazards arising from the substance or mixture					
Fire hazard	:	In a fire or if heated, a pressure in crease will occur and the container may burst, with the risk of a subsequent explosion. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.			
Thermal decomposition products	:	Decomposition products may be hazardous to health.			
Special protective equipment and precautions for fire-fighters					
Protective actions for firefighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a			
		fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done with out risk. Use water spray to keep fire-exposed containers cool.			
Protection during firefighting	:	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.			

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	Do not attempt to take action without suitable protective equipment
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
		Inform the relevant authorities if the product has caused enviromental pollution. Water polluting
		material. May be harmful to the environment. If released in large quantities.
Methods and material for contai	inment	and cleaning up
	:	Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

7. Handling and storage

Handling	:	Handle in good ventilated area.
ő	:	Wash thoroughly hand and face after handling.
	:	Close tightly container with closer necessarily during and after use.
	:	Wear antistatic suits and shoes , while working.
	:	Use handtool of spark proof type and ground equipment.
	:	Wear proper protectors to avoid contact of skin or eyes when handling
		open containers.
	:	Install proper local ventilator and wear proper protector in closed space.
Storage	:	Keep container closed and avoid direct sunlight.
	:	Store in good ventilation.
	:	Store with keeping away from ignition or heat source.

8. Exposure controls/personal protection

Controlparameters	:	Isopropyl alcohol
		OSHA : PEL-TWA 400 ppm (980 mg/m3)
		NIOSH : REL-TWA 400 ppm (980 mg/m3)
		REL-STEL 500 ppm (1225 mg/m3)
Engineeringcontrols	:	Use only in a well-ventilated area. Use local exhaust ventilation
Personalprotection		
Respirationprotection	:	Organic vapor respirator
Eye/Faceprotection	:	Safety google and face shield

- Wear protective clothing
- : Wear protective clothing

:

Work/HygienicPractices

- - : Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

9. Physical and chemical properties

Appearance and Colour	:	Liquid, Clear
Odour	:	Solvent Odour
Odour Threshold	:	Not available
рН	:	Not available
Melting point/freezing point	:	Not available
initial boiling point and boiling	:	Not available
Flash point	:	31 ⁰ C
Evaporation rate	:	Not available
Flammability (solid, gas)	:	Not available
Vapour pressure	:	Not available
Vapour density	:	Not available
Relative density at 25C	:	0.73-0.75 g/cm3
Solubility	:	None or poor in water
Log Pow	:	Not available
Auto ignition temperature	:	Not available
Decomposition temperature	:	Not available
Viscosity	:	Not available

10. Stability and reactivity

Reactivity	:	Not available
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Hazardous reactions will not occur under normal conditions.
Conditions to Avoid	:	High temperature, direct sunlight.
Materials to Avoid	:	Acid, alkaline and Strong oxidising agent and reducing agents or peroxide fumes.
Hazardous Decomposition	:	Carbon monoxide, Carbon dixide toxic or asphyxiating gases

11. Toxicological information

Acute oral toxicity	:	ATE mix (oral/rat) 2050 mg/kg (Category 5)
Acute dermal toxicity	:	ATE mix (skin/rabbit) 2070 mg/kg (Category 5)
Acute inhalation toxicity	:	ATE mix (inhale/rat) 13.94 mg/L/4 hr (Not classified)
Skin corrosion / irritation	:	Causes skin irritation
Serious eye damage/eye irritation	:	Causes eye irritation
Respiratory sensitization	:	May cause allergy or asthma symptoms or breathing difficulties if inhaled
Skin sensitization	:	Not classified
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Suspected of causing cancer
Reproductive toxicity	:	Suspected of damaging fertility or the unborn child
STOT - single exposure	:	Causes damage to organs
STOT - repeated exposure	:	Causes damage to organs
Aspiration hazard	:	May be fatal if swallowed and enters airways

12. Ecological information

Acute aquatic hazard	: Not available	
Long-term aquatic hazard	: Not available	
Persistence and degradability	: Not rapidly degradabili	ty
Bioaccumulative potential	: Not available	
Mobility in soi	: Not available	

Other adverse effects

: Not available

13. Disposal considerations				
Disposal methods	 Dispose of contents in accordance with local/national and international regulations or handled by authorized waste collector in your country 			
Container Management	Dispose of container in accordance with all local, regional, national and international regulations.			

14. Transport information

	1263
	Paint
	3
	III
	NO
A	ccord to each transportation under " ADR/RID code "
A	ccord to each transportation under " ICAO/IATA code "
A	ccord to each transportation under " IMO/IMDG code "
	A

15. Regulatory information

Thai	roau	lation
inai	regu	auon

: Thai land Notification of Ministry of Industry Subject.

- List of hazardous substances B.E. 2556 (2013)
- : Thai land Notification of Ministry of Labour Subject.
- List of hazardous chemicals B.E. 2556 (2013)

16. Other informat	tion	
Created	:	April, 2021
References	:	
	1)	https://pubchem.ncbi.nlm.nih.gov/
	2)	https://www.nite.go.jp/chem/english/ghs/all_fy_e.html
	3)	United Stated National Library of Medicine: ChemIDplus Lite (ID PLUS)
		http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?CHEM
	4)	New Jersey Department of Health (DOH)
		http://web.doh.state.nj.us/rtkhsfs/qrsearch.aspx.
	5)	International Uniform ChemicaL Information Database (IUCLID)
		http://ecb.jrc.ec.europa.eu/esis/index.php?PGM=dat
	6)	CHEMTRACK
		http://www.chemtrack.org/Chem-Result.asp
	7)	SIGMA-ALDISH
		http://www.sigmaaldrich.com/MSDS/MSDS/DisplayMSDSPage.do?
		Occupational Safety & Health Administration (OSHA)
		http://www.osha.gov/dts/chemicalsampling/toc/chmcas.html

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.